



Chip Capacitor Resistor X-ray Counter Machine DS3000 with 800W Aggregate Capacity

Our Product Introduction

for more products please visit us on smtmachinepart.com

Basic Information

- Brand Name: GS
- Model Number: x-ray DS3000
- Minimum Order Quantity: 1PCS
- Price: USD+negotiable+pcs
- Packaging Details: 1000*1600*2000mm
- Delivery Time: 5-15 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



Product Specification

- The Alarm Way: Sound And Light Alarm
- Weight: About 730Kg
- Source: 220V/50Hz
- Aggregate Capacity: 800W
- Equipment Size: 878mm(L) * 1480mm(W) * 1895mm(H)
- X-ray Leakage Dose: <1μSv/h
- X-Ray Security Protection 1: Safety Standard: The Radiation Leakage Dose Is <1 μ Sv / H.
- X-Ray Security Protection 2: Shell Material Protection, The Equipment Adopts Steel-lead-steel Structure, And The Front Door Window Adopts Lead-containing Glass With Protective Radiation.
- X-Ray Security Protection 3: Safety Interlock Function, The Limit Switch Is Set In The Door Position, When The Door Is Opened, The Ray Source Will Automatically Power Off
- X-Ray Security Protection 4: Use The Status Indicator Light To Indicate The Working Status Of The Radiation Source



More Images



Product Description

Chip capacitor Resistor x-ray Counter machine DS3000

一,Functional advantage:

It uses X-RAY perspective principle and self-developed algorithm software with AI function, which can quickly and accurately calculate the number of objects in the discharge tray, and also has automatic scanning code to upload data to MES, ERP and other systems.

二,Chip capacitor Resistance x-ray Counter machine DS3000 equipment advantages

The X-ray source adopts Shanghai Keyiwei side window X-ray tube, which has long service life and is maintenance-free. The flat panel detector uses a 17-inch ultra-clear screen for fast imaging and no distortion. Four 7-inch material trays or one 13-15 inch material tray can be counted simultaneously. Greatly reduce the counting time, eliminate excess manpower, and can instead assist other personnel to collect or change the line, shorten the stop time of line change. The dispenser uses digital data and can print barcode stickers or upload them directly to the database. The machine can greatly improve the lack of materials, missing materials, missing materials, and less materials, digital management of material storage, reduce the cost of material inventory, and improve the accuracy of material inventory. No need to open the packaging bag, maintain the integrity of the material roll, will not affect the moisture resistance of the material.

三,Cloud database

Each device can be connected to our cloud database, the data and pictures of the device are uploaded to the cloud, and the device will automatically download the latest database from the cloud. Engineers will also optimize the algorithm based on the pictures and data collected by each device in the background, and regularly update it to the database for customers to use.

四,Speed and accuracy

Up to now, the point time and accuracy of each foot material are as follows. With the upgrading of our algorithms, the database is more and more rich, and the data will be faster and faster, and the accuracy will be higher and higher.

Global Soul Limited

sales@gs-smt.com



Chip capacitor Resistor x-ray Counter machine DS3000 | GSSMT, X-Ray Component Counter, SMD Component Counting, SMT Reel X-Ray Counter, High Accuracy Component Counting, Electronic Component Counting, X-Ray Component Counting Applications, Quality Control in Electronics Manufacturing, X-Ray Counting System Features, Intelligent X-Ray Counter, Barcode Recognition in X-Ray Counting, Inventory Management with X-Ray Counters, X-Ray Counter for SMT Parts, X-Ray Counting Machine, SMD Component Counter, Precision Counting Machines, X-Ray Reel Counter, SMD Device Counting Accuracy, X-Ray Technology in Manufacturing, High-Precision Inspection Systems, Counting Machine Specifications, X-Ray



Global Soul Limited



+8613728696610



liyi@gs-smt.com



smtmachinepart.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China