



SAMSUNG / GKG Machine SMT Wiper Roll Strong Absorption GSM602 series

Our Product Introduction

for more products please visit us on smtmachinepart.com

Basic Information

- Place of Origin: China
- Brand Name: GS
- Model Number: GSM602
- Minimum Order Quantity: 1 roll
- Price: USD+negotiable+roll
- Packaging Details: 550*100*100mm
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+roll+per days



Product Specification

- Brand Name: GS
- Model Number: GSM602 Series
- Product Name: SMT Stencil Clean Rolls
- Material: Wood Pulp+Polyester
- Application: SMT Process
- Customization: Support
- Highlight: **Strong Absorption SMT Wiper Roll, SMT Wiper Roll GSM602, GKG Machine SMT Wiper Roll**



More Images



Product Description

SAMSUNG/GKG Machine SMT Wiper Roll Strong Absorption

Key Features and Benefits

1. Exceptional Cleaning Performance:

The primary function of SMT stencil clean rolls is to remove solder paste and red glue residues from stencils and PCBs. These rolls excel in this task due to their high absorbency and durable construction. They effectively capture and retain solder paste, red glue, and other contaminants, ensuring that stencils remain free of debris that could compromise printing quality.

2. High Absorbency:

One of the standout features of these stencil clean rolls is their strong water and oil absorption capabilities. This high absorbency ensures that even the smallest particles of solder paste and red glue are effectively removed, preventing any potential contamination that could affect the soldering process.

3. Lint-Free and Non-Scratching:

SMT stencil clean rolls are designed to be lint-free, meaning they do not leave behind any fibers or particles that could interfere with the solder paste application. Additionally, they are manufactured to prevent scratching of the delicate stencil surfaces, maintaining the integrity and precision of the stencil apertures.

4. Versatile Material Options:

The clean rolls are available in various material options to suit different cleaning requirements and preferences. These include plain grain, grid, and polypropylene (PP).

5. Customizable Tube Types:

To accommodate different printer models and applications, the SMT stencil clean rolls come with a variety of tube types. These include crosses, word, flat mouth, with 12 inner grooves, and paper tubes.

6. Compatibility with Leading Printer Models:

These stencil clean rolls are compatible with an extensive array of printer models, including PANASONIC, YAMAHA, MINI, EKRA, ASKA, MPM, DEK, FUJI, HC, LIGHT, SAMSUNG, GKG, DESEN, and HTGD. This wide compatibility makes them a versatile choice for many different manufacturing environments.

7. Reusability and Durability:

Built to last, these stencil clean rolls can be reused multiple times without compromising their cleaning performance. Their strong and durable construction ensures that they can withstand repeated use, providing excellent value for money and reducing waste.

8. Skin-Friendly and Non-Allergic:

Manufactured with materials that are soft and skin-friendly, these clean rolls do not cause allergic reactions, making them safe for operators to handle. This is particularly important in environments where workers are in close contact with cleaning materials.



SAMSUNG/GKG Machine SMT Wiper Roll Strong Absorption GSM602 series | GSSMT, SMT Wiper Roll price, SMT Wiper Roll supplier, SMT Wiper Roll for sale, SMT Wiper Roll manufacturer, SMT Wiper Roll specifications, SMT Wiper Roll dimensions, SMT Wiper Roll cleaning paper, SMT Wiper Roll bulk purchase, SMT Wiper Roll material, SMT Wiper Roll replacement, SMT Wiper Roll for Panasonic, SMT Wiper Roll for Yamaha, SMT Wiper Roll for Fuji, SMT Wiper Roll compatibility, SMT Wiper Roll wholesale, SMT Wiper Roll usage, SMT Wiper Roll efficiency, SMT Wiper Roll quality, SMT Wiper Roll vs stencil roll, SMT Wiper Roll cleaning process



+8613728696610 liyi@gs-smt.com smtmachinepart.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China