



Mechanical SMT Nozzle Cleaning Machine 80W Ultrasonic Cleaner Machine

Our Product Introduction

for more products please visit us on smtmachinepart.com

Basic Information

- Place of Origin: China
- Brand Name: ASM/SIEMENS
- Model Number: GS-010
- Minimum Order Quantity: 1 PCS
- Price: USD+negotiable+pcs
- Packaging Details: 200*180*230mm
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



Product Specification

- Model: GS-010
- Heating Power: 500W
- Ultrasonic Frequency: 40000Hz
- Capacity: 2L
- Time Control: 1-30M
- Ultrasonic Power: 80W
- Size Of Internal Tank: 150*135*100MM
- Overall Dimensions: 175*160*210MM
- Highlight: SMT Nozzle Cleaning Machine 80W, Mechanical SMT Nozzle Cleaning Machine, SMT Ultrasonic Cleaner Machine



More Images



Product Description

Features of the GS-010 Ultrasonic Cleaner

The GS-010 Ultrasonic Cleaner is a compact and efficient device designed for a wide range of cleaning applications. With a 2-liter capacity, it offers several advanced features that make it a versatile tool for both professional and personal use.

Simple Mechanical Control

The GS-010 is equipped with a mechanical rotary control system, ensuring ease of use and convenience. This straightforward design allows users to operate the machine effortlessly, making it accessible to both novices and experienced users.

High-Quality Stainless Steel Construction

Both the body and the cleaning basket of the GS-010 are made from premium stainless steel. This material is known for its durability, resistance to corrosion, and long-lasting performance. The robust construction ensures the cleaner can withstand frequent use and maintain its appearance over time.

Industrial-Grade Transducer

The ultrasonic cleaner features an industrial-grade transducer that offers high electrical conversion efficiency. This ensures effective and thorough cleaning of various items, from delicate jewelry to sturdy automotive parts, by generating powerful ultrasonic waves that remove dirt and contaminants.

Seamless Inner Tank Design

The inner tank of the GS-010 is crafted using a one-time stamping process, resulting in a seamless design with no welding points. This enhances the water-resistant properties of the tank, preventing leaks and ensuring safe operation. The seamless construction also makes cleaning and maintenance easier.

Adjustable Timer and Temperature

The GS-010 offers adjustable working time and temperature settings to cater to different cleaning needs. The timer can be set from 0 to 30 minutes, allowing precise control over the cleaning duration. The temperature is adjustable from room temperature to 80°C, providing flexibility for various cleaning applications and ensuring optimal results.

Global Soul Limited

sales@gs-smt.com



SMT Nozzle Cleaner GS-010 ULTRASONIC CLEANER | GSSMT, SMT nozzle cleaning solution, SMT nozzle cleaner machine, Automatic SMT nozzle cleaner, SMT nozzle cleaning equipment, SMT nozzle cleaning process, SMT nozzle maintenance tips, SMT nozzle cleaning services, SMT nozzle cleaning chemicals, SMT nozzle cleaner price, Best SMT nozzle cleaner, How to clean SMT nozzle, SMT nozzle ultrasonic cleaner, SMT nozzle cleaning fluid, SMT nozzle clogging issues, SMT nozzle cleaning tool, Efficient SMT nozzle cleaning, SMT nozzle debris removal, SMT nozzle cleaning tutorial, SMT nozzle cleaning frequency, SMT nozzle cleaner suppliers



Global Soul Limited



+8613728696610



liyi@gs-smt.com



smtmachinepart.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China