



## CCD Camera Siemens Feeder Calibration Jig With 12 Inch LED Display

### Basic Information

- Place of Origin: Germany
- Brand Name: ASM/SIEMENS
- Minimum Order Quantity: 1 set
- Price: USD+negotiable+set
- Packaging Details: 120\*80\*90cm
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+set+per days



### Product Specification

- Brand Name: ASM/SIEMENS
- Condition: Original New/Used Original
- Lead Time: 1-7 Days
- MOQ: 1 Set
- Highlight: Siemens Feeder Calibration Jig,  
CCD Camera Feeder Calibration Jig,  
LED Display Feeder Calibration Jig



### More Images



Our Product Introduction

for more products please visit us on [smtmachinepart.com](http://smtmachinepart.com)

## Product Description

### Siemens Feeder Calibration Jig

The Siemens Feeder Calibration Jig is designed to enhance productivity and quality in SMT production lines by accurately calibrating tape feeders. Here are some key features of this jig:

#### Key Features

1. Dimensions and Display: The jig typically measures 500 x 350 x 550 mm (L x W x H) and includes a 12-inch LED display with a cross mark for precise alignment.
2. Camera System: It uses a CCD camera with 50 times magnification to inspect the feeder's position and movement, allowing for precise adjustments.
3. Power Supply: The jig operates on a 220V power supply, ensuring stable performance.
4. Operation and Calibration:
  - Simple Operation: The jig features simple and compact design, making it easy to operate.
  - Calibration Process: It involves mounting a calibration ruler to the feeder, adjusting the feeder's position using the display, and ensuring the cross cursor aligns with the feeder's center.
5. Precision and Efficiency:
  - High-Precision Rails: Some models use high-precision 0 gap rails to ensure location stability and improve work efficiency.
  - Accurate Detection: The jig can accurately measure the position, height, and bar height of the feeder, aiding in quality control.
6. Material and Weight: The jig is typically made of metal and weighs around 35 kg.
7. Additional Features:
  - Automatic or Semi-Automatic IC Transfer: Some models allow for automatic or semi-automatic movement of ICs to specific areas.
  - Ring LED Lighting: Enhances visibility and reduces eye fatigue during operation.

Global Soul Limited

[sales@gs-smt.com](mailto:sales@gs-smt.com)





Siemens Feeder Calibration Jig | GSSMT, Siemens SMT Feeder Calibration, Siemens Feeder Calibration Equipment, SMT Feeder Calibration Jig for Siemens, Siemens ASM Siplace Feeder Calibration, Siemens S Series Feeder Calibration Jig, Feeder Calibration Tools for Siemens Machines, Siemens SMT Production Line Calibration, Siemens Feeder Calibration and Repair, Siemens Feeder Calibration Jig Price, Siemens SMT Feeder Calibration Process, Siemens Feeder Calibration Service, Siemens Feeder Calibration Jig Manual, Siemens SMT Machine Feeder Calibration, Siemens Feeder Calibration and Maintenance, Siemens Feeder Calibration Jig Suppliers



Global Soul Limited



+8613728696610



liyi@gs-smt.com



smtmachinepart.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China