



## Surface Mount IC Tube Mounting (GS-SAQ2306)

### Our Product Introduction

#### Basic Information

- Brand Name: GS
- Model Number: GS-SAQ2306
- Minimum Order Quantity: 1 PCS
- Price: USD+negotiable+pcs
- Packaging Details: 1350\*55\*300mm
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



#### Product Specification

- Model: GS-SAQ2306
- Overall Dimensions (length \* Width \* Height): 1190\*47\*243 104 mm(The Height From The Base Foot To The Baffle :243mm. The Height From The Base Foot To The Material Outlet :104mm)
- Weight: 10KG
- Working Voltage: DC 24V
- Gas Source Requirements: 0.4-0.7Mpa
- Maximum Current: 1A
- Feeding Speed: 0.6s/Pcs
- Operation Panel: 0.96-inch TFT Color Screen, 80\*160 Pixels
- Pipe Replacement Time: 5S
- Channel: Single Channel
- Adapt To The Length Of The Material Pipe: 490-535mm
- Adapt To The Height Of The Material Pipe: 3.5-5.5mm




## Product Description

### Surface Mount IC Tube Mounting (GS-SAQ2306)

The tubular feeder is a tubular electronic component supply device that supplies tube-mounted electronic components to the insertion machine one by one at a specified time through vibration and air blowing.





## Material (IC)

If there are special material dimensions, you can contact our company for consultation and to provide solutions and customize exclusive feeders.



**Global Soul Limited**



+8613728696610



liyi@gs-smt.com



smtmachinepart.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China