

Large Electrolytic Capacitor Feeder (GS-RAZ2304)

Basic Information

Place of Origin: ChinaBrand Name: GS

Model Number: GS-RAZ2304Minimum Order Quantity: 1 PCS

Price: USD+negotiable+pcs
Packaging Details: 1350*150*1200mm

Delivery Time: 1-7 daysPayment Terms: T/T

Supply Ability: 1+pcs+per days



Product Specification

Model: GS-RAZ2304

External Dimensions (length1152mm*122.5mm*900±40mm[For Details,
 * Width * Height: Please Refer To The Size Diagram]

• Weight: 20KG

• Working Voltage: Ac 220V

• Maximum Power: 400W[Direct Vibration: 330W]

• Feeding Speed: 1.5s/Pcs

Drive Mode: Electric[Blow Air To Assist In Throwing The

Waste Tape]

• Operation Panel: 0.96-inch TFT Color Screen 80*160 Pixels

• Error In The Length Of The ±0.1mm

Material Cutting Feet:

• Applicable To The Hole 12.7mm/15mm[Parts Need To Be Replaced]

Spacing Of The Tape:

Applicable Material Body ≤47mm

Height:

Applicable Metarial Din -0 0mm



More Images



LARGE ELECTROLYTIC CAPACITOR FEEDER (GS-RAZ2304)

The vertical feeder is an electronic component supply device that keeps a certain interval and sends out the electronic components of the vertical tape packaging one by one at a specified time, cuts the lead wires, and supplies them to the insertion machine.



Materials



Diameter: 18.3mm

If there are special material dimensions, you can contact our company for consultation and to provide solutions and customize exclusive feeders.



+8613728696610

liyi@gs-smt.com

smtmachinepart.com

Room F3B-016, B Block, Hao Yun Lai Bussiness Building, Liutang road , Bao'an District , Shenzhen, China