

Jumper Feeder (GS-LAD2303)

Basic Information

Place of Origin: ChinaBrand Name: GS

Model Number: GS-LAD2303Minimum Order Quantity: 1 PCS

• Price: USD+negotiable+pcs

Packaging Details: 850*90*180
Delivery Time: 1-7 days
Payment Terms: T/T

• Supply Ability: 1+pcs+per days



Product Specification

Model: GS-LAD2303
 Overall Dimensions (length 624*78*160

* Width * Height):

Weight: 6.5KG
Working Voltage: DC 24V
Gas Source Requirements: No
Maximum Current: 2.5A
Feeding Speed: 1.5s/Pcs

• Operation Panel: 0.96-inch TFT Color Screen, 80*160 Pixels

Material Change Time: 3min

• Channel: Single Channel

• Pin Bending Function: Bend

• Lifting Function: Lifting Feeding

• Foot Cutting Function: Cut Off

Straightening Function: Alignment Of Alignment



More Images



Jumper Feeder (GS-LAD2303)

The jumper feeder is a component supply device that sends out the coiled copper wires one by one according to a fixed length, cuts them into shape and supplies them to the insertion machine.





If there are special material dimensions, you can contact our company for consultation and to provide solutions and customize exclusive feeders.

