



Customized Horizontal Feeder Model K (GS-AAD2208)

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: GS
- Model Number: GS-AAD2208
- Minimum Order Quantity: 1 PCS
- Price: USD+negotiable+pcs
- Packaging Details: 700*300*300MM
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



Product Specification

- Model: GS-AAD2208
- Overall Dimensions (length 570*127*150mm * Width * Height Unit Mm):
- Weight: 14KG
- Working Voltage: DC 24V
- Maximum Current: 3A
- Feeding Speed: 2.5-3s/Pcs
- Drive Mode: Pure Electric
- Operation Panel: 0.96-inch TFT Color Screen, 80*160 Pixels
- Material Lifting Error: ± 0.4 mm
- Applicable Tape Width: 63-90 Mm

for more products please visit us on smtmachinepart.com


K Horizontal Feeder (GS-AAD2208)

[Customized Version]

The horizontal feeder is an electronic component supply device that keeps a certain interval and feeds out the horizontal tape-packed electronic components one by one at the prescribed time, shapes them and cuts the lead wires, and supplies them to the insertion machine.



Applicable specifications of woven tape materials:



Code name	Explanation	Reference size (mm)
A	Tape spacing	5/10
W	Braided tape width	62-90
L	Ontology length	5-22
D	Ontological diameter	3-8
d	Pin diameter	0.4-0.8
g	Pin span	12-26
h	Bending height	7-12
e	Position of Point k	3.5-6.5
f	The distance from the main body to the bending point	>1.5

If there are special material dimensions, you can contact our company for consultation

and to provide solutions and customize exclusive feeders.



+8613728696610

liyi@gs-smt.com

smtmachinepart.com

Room F3B-016, B Block, Hao Yun Lai Business Building, Liutang road , Bao'an District , Shenzhen, China