

Tin Chip Feeder (GS-PBD2402)

Basic Information

Place of Origin: ChinaBrand Name: GS

Model Number: GS-PBD2402Minimum Order Quantity: 1 PCS

Price: USD+negotiable+pcs
Packaging Details: 1000*100*350mm

Delivery Time: 1-7 daysPayment Terms: T/T

Supply Ability: 1+pcs+per days



Product Specification

Product Specification: GS-PBD2402Overall Dimensions (length 878*55*233mm

* Width * Height):

• Weight: 8.5 KG

• Working Voltage: DC42V(1.5~2.5A) [Draw Power From The

Surface Mount Technology (SMT) Machine I

• Gas Source Requirements: 0.5-0.6MPa [Take Gas From The Surface

Mount Technology (SMT) Machine I

Working Current: Feed Less Than 1.5A

Feeding Speed: 0.6 S/Pcs [Cut Off Length ≥Long Time]
Operation Panel: 0.96-inch TFT Color Screen 80*160 Pixels
Feeding Length: 2.2 18mm [Customized. Fine Adjustment]

Within ±0.1mm]

• Thickness Of Tin Sheet: Customized, Not Adjustable [Customized.


Not Adjustable

• Width Of Tin Sheet: 2~12.1mm [Customized. Not Adjustable]

Product Description

Tin Chip Feeder (GS-PBD2402)

The tin sheet feeder is a component supply device that cuts the rolled tin sheets one by one according to the set length and supplies them to the surface mount machine



Materials

Finished product

If there are special material dimensions, you can contact our company for consultation and to provide solutions and customize exclusive feeders.





+8613728696610



liyi@gs-smt.com



smtmachinepart.com

