



ESD PCB Storage Cart SMT ESD PCB Trolley

Basic Information

- Place of Origin: china
- Brand Name: GS
- Minimum Order Quantity: 1 PCS
- Price: USD+negotiable+pcs
- Packaging Details: 950*600*1350mm
- Delivery Time: 1-7 days
- Payment Terms: T/T
- Supply Ability: 1+pcs+per days



Product Specification

- Product Name: ESD Trolley
- Size Specification: 900*550*1260mm
- ESD Index: $10^6 - 10^9 \Omega$
- Slot Plate Length: 350mm
- Frame Structure: Stainless Steel Bent Tube
- Slot Plate Guidance: Flat Insertion Type
- Load Capacity: 150KG
- Storage Rows: 3 Rows (2 Pairs 2 Singles)
- Slot Width And Spacing: 4.5mm/10mm
- Storage Layers: 100 Layers
- Wheel Size: 4-inch Wheel
- Storage Pieces: 300 Pieces (100 Layers * 3 Rows)

Index stability

Strict quality control, ESD test shows index stability






SMT LTD
思能贴装

Metal grounding chain

Metal chain grounding, effectively discharging metal static electricity



Free adjustment

Activity-type snap fastener, which can be freely adjusted according to the size of the PCB.



SMT LTD
思能贴装




Full welding of fish scales

The fish scale patterns are fully welded, ensuring durability and preventing disintegration over time.



Slot positioning is precise

The workmanship is excellent. The slot positioning is accurate, and the board insertion is smooth.



Universal rotating wheel

Universal silent rotating wheel, easy to move without noise



ESD PCB Storage Cart SMT ESD PCB Trolley Product Image:



Room F3B-016, B Block, Hao Yun Lai Business Building, Liutang road , Bao'an District , Shenzhen, China